

SUPPLEMENT TO



The Gazette of India

No. 39]

NEW DELHI, SATURDAY, SEPTEMBER 29, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 1st September, 1951

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	O.	D.	O.	D.	C.	D.		O.	D.	O.	D.	C.	D.
STATES PART (A) & PART (C)													
Ajmer							Monghyr	30	8	8	1	—	—
Return not received							Bhagalpur	52	5
Assam							Saharsa
Cachar	Purnea	19	5
Khasi and Jaintia Hills	Santal Parganas	44	22	0	1
Naga Hills	Hazaribagh	..	4
Goalpara	Ranchi	21	11	5
Kamrup	2	..	Manbhum	..	4	4	9	1	..
Darrang	Palamau	..	1	1	2
Nowrang	Singhbhum	..	1
Sibsagar	Total	282	108	105	32
Lakhimpur	(Estd. mid-year pop. 38,839 thousands).						
Sadiya & Frontier Tracts	Total for w/e 25-8-51	285	108	120	27
Garo Hills	Total for w/e 18-8-51	201	134	247	71
TOTAL	2	..	7-yearly mean for the week.	783	370	45	13	2	1
(Estd. mid-year pop. 8,101 thousands)							Bombay						
Total for w/e 25-8-51	6	Bombay
Total for w/e 18-8-51	1	1	2	4	—	..	Ahmedabad	1	1
7-yearly mean for the week	14	8	4	3	Kaira	2
Bhopal							Broach
No incidence.							Panch Mahals
(Estd. mid-year pop. 831 thousands)							Surat
Total for w/e 25-8-51	—	—	—	..	Thana	2	1
Total for w/e 18-8-51	—	—	—	..	Bombay Suburban
7-yearly mean for the week	9	4	—	—	—	..	Ahmednagar
Bihar							East Khandesh	14	8
Patna	..	72	33	West Khandesh
Gaya	..	8	4	Amreli
Shahabad	..	3	11	0	6	..	Nasik	3	1
Saran	..	2	1	3	1	..	Poona	8
Champaran	..	14	5	14	5	..	Satara North	..	1	1	3	3	..
Muzaffarpur	..	6	3	26	8	..	Satara South	1
Darbhanga	4	4	Sholapur	..	13	3
					Sabarakantha
						..	Belgaum	1

Explanation of symbols used:— C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1951—contd.

Explanation of Symbols used:—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September 1951—contd.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in Iniaia during the week ending the 1st September 1951—contd.

Explanation of Symbols used:—C. = Cases; D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1951—contd.

CHOLERA						SMALLPOX						PLAQUE					
C.		D.		C.		D.		C.		D.		C.		D.		C.	

TYPHUS

The following cases of typhus were reported during the week.

Place	Cases	Deaths	Period	Place	Cases	Deaths
Greater Bombay	3	..	From w/e 14-7-51 to 25-8-51.	Jammu & Kashmir		
Sirmur (Himachal Pradesh)	1	..				

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns.)

Place	Period	Cases	Place	Period	Cases	Deaths
Greater Bombay	16-31 August, 1951	6				
Madras	1-15 July, 1951	10 (Paretic)	Anantnag (Kashmir)	w/e 21-7-51	1	..
"	16-31 July, 1951	12	"			
Punjab (I)	16-31 August, 1951	7	Srinagar (Kashmir)	w/e 4-8-51	2	..

Explanation of Symbols used :— C. = Cases ; D. = Deaths.

NEW DELHI 2 (INDIA) : }
The 24th September, 1951 }

K. MITRA,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3·57% and 4·16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

3½%
TEN-YEAR
TREASURY SAVINGS
DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 1st September, 1951.

Town	Mid-1951 Popn-Est. (000)	Deaths from:											
		B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D. R.*	I. D.
STATES (Parts A and C)													
Ajmer													
Ajmer	198	156	41.0	16	3	16	..	51	19.4	13
Beawar	52	37	37.0	17	..	1	..	23	23.0	9
TOTAL	250	193	40.1	33	3	17	..	74	15.4	22
Assam													
Bhopal													
Bhopal	103	30	15.1	7	2	6	†	20	10.1	†
Bihar													
Bombay													
Ahmedabad	882	783	46.2	..	1	..	46	35	85	..	300	17.7	148
Ahmednagar	67	48	37.3	4	7	2	..	22	17.1	9
Amalner	46	32	36.2	9	2	2	..	16	18.1	6
Bandra†													
Baroda	182	104	52.5	30	..	4	..	66	17.9	23
Barsi	43	60	74.3	6	1	3	..	28	28.5	7
Belgaum	79	82	54.0	7	1	4	..	49	32.3	9
Bhusawal	45	53	61.2	9	..	6	..	32	37.0	7
Bijapur	58	48	43.0	6	..	2	..	19	11.7	2
Bombay	2,354	1,342	29.6	6	35	162	3	627	13.9	186
Broach	78	56	37.3	8	1	2	..	23	16.3	6
Cambay	38	44	60.2	10	12	16.4	3
Dharwar	55	41	38.8	3	3	..	44	41.6	3
Dhulia	67	64	49.7	7	1	6	..	22	17.0	4
Gadag-Betigeri	67	55	47.7	5	..	1	..	15	11.6	2
Godhra	49	108	114.6	9	..	3	..	18	19.1	3
Hubli	108	51	24.6	1	6	4	..	25	12.0	3
Jalgaon	63	64	52.8	8	3	4	2	28	23.1	7
Kalyan	37	34	47.8	3	2	1	1	37	52.0	12
Kolhapur	117	112	49.8	9	2	1	1	37	16.4	12
Korla†													
Malegaon	41	33	41.0	11	1	1	..	20	25.4	4
Miraj	39	13	17.3	1	1	1	..	9	12.0	..
Nadiad	59	73	64.3	12	1	1	..	22	18.4	6
Nasik	59	75	66.1	4	2	6	2	30	26.4	4
Navsari	47	23	25.5	2	1	6	6.6	..
Pandharpur	37	38	53.4	6	4	3	..	20	28.1	12
Parle Andheri†													
Patan	43	41	49.6	13	2	20	24.2	8
Poona	219	222	36.2	3	7	37	10	182	29.7	74
Sangli	40	30	30.0	6	..	1	..	10	24.7	8
Satara	41	30	38.0	1	1	2	1	13	16.5	1
Shelapur	274	256	48.6	1	12	33	18	..	122	23.2	35
Surat	246	159	33.6	17	3	23	..	84	17.8	24
TOTAL	5,685	4,264	39.0	1	1	..	273	155	985	25	1,956	17.9	628
Delhi State													
Delhi City	702	826	64.0	109	25	33	1	230	17.0	92
New Delhi	124	165	44.0	2	1	3	..	45	18.0	15
TOTAL	826	931	58.6	111	26	36	1	275	17.3	107
Madhya Pradesh													
Akola†	78	98	65.7	12	3	3	..	58	38.9	17
Amravati	44	19	22.6	5	5	5.9	..
Bilaspur	64	54	43.7	12	1	22	17.8	..
Burhanpur	44	29	34.6	1	4	1	..	23	27.4	12
Chanda													
Damoh†													
Ellichpur	34	30	45.3	2	1	1	..	15	22.6	5
Hinganghat	34	22	34.0	4	2	6	9.3	3
Jahalpur†													
Khandwa	42	21	25.7	2	3	13	15.9	..
Nagpur †													
Nagpur Civil Station †													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers, D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 1st September, 1951—*contd.*

Town	Mid.-1951 Popn-Est. (000)	Deaths from :-												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.B.*	I.D.	
Madhya Pradesh—<i>contd.</i>														
Raipur	82	15	9.5	2	7	4.4	..	
Sagar†	37	10	22.2	3	..	2	2	15	20.8	7	
Wardha	
Yeotmal	82	28	45.0	7	5	2	..	23	37.0	7	
	TOTAL	401	332	35.2	50	19	9	2	187	19.8	51	
Madras														
Ariyalur	35	42	62.4	2	3	..	11	16.3	3		
Ambur	39	30	40.0	2	3	..	9	12.0	2		
Anakapalle	35	33	49.0	7	4	3	2	29	43.1	7	
Aruppukottai	36	48	69.3	2	3	2	1	24	84.7	9	
Bellary	65	34	27.2	8	..	25	20.0	9	
Bhimevaram	38	23	36.2	4	2	8	12.6	1	
Cannanore	35	28	41.6	1	2	..	16	23.8	3	
Chirala	36	29	41.9	1	..	3	..	10	14.4	1	
Chittoor	34	39	59.7	1	2	..	2	13	19.9	2	
Coimbatore†	
Cuddalore	62	97	81.4	2	2	5	2	3	37	31.0	6	
Cuddappah	34	37	56.6	..	1	..	2	..	4	..	19	29.1	4	
Dindigul	69	59	45.1	..	1	..	1	2	2	..	20	15.3	4	
Eluru	73	23	16.4	4	1	2	..	26	18.5	9	
Erode	45	68	105.7	1	5	2	19	29.6	5	
Guddiyattam	41	37	46.9	2	1	3	..	14	17.8	2	
Guntur	108	126	63.6	5	8	1	3	..	41	20.7	5	
Kakinada	85	93	56.9	2	1	1	..	32	19.6	8	
Kancheepuram	84	130	80.5	2	2	2	5	2	43	26.6	7	
Kozhikode	154	178	60.0	..	2	..	4	2	5	1	52	17.5	12	
Karaikudi	36	42	60.7	..	2	..	1	..	1	..	13	18.8	3	
Karur†	
Kumbakonam	72	78	58.3	2	5	32	23.1	8	
Kurnool	56	87	80.8	2	4	20	26.9	5	
Madras	1,027	1,486	75.2	6	1	..	83	167	272	..	983	49.7	257	
Mangalore	96	202	109.4	4	11	65	35.2	9	
Masulipatnam	61	65	55.4	4	1	1	..	27	22.0	6	
Methurai	298	272	41.0	..	2	..	7	9	35	4	137	20.7	25	
Mayuram	33	48	75.6	2	..	12	18.9	2	
Melapalayam	32	22	35.8	1	..	2	..	10	16.2	4	
Nagapattinam	57	70	69.3	8	2	..	35	31.9	6	
Nellore	67	101	78.4	20	1	..	10	7	6	..	89	69.1	13	
Ootacamund	35	53	78.4	1	1	4	..	9	13.4	1	
Palyamkottai	84	23	35.2	1	1	4	..	17	26.0	9	
Palghat	61	67	57.1	..	3	..	3	1	4	..	21	19	4	
Poddatur†	
Pudukkottai	40	36	46.8	7	1	2	..	19	24.7	1	
Rajahmundry	86	109	65.9	6	8	4	..	55	33.3	11	
Rajapalayam	54	37	85.6	3	6	4	..	28	25.0	3	
Salem	158	116	88.2	4	5	14	2	65	21.4	18	
Srivilliputtur	87	33	40.4	5	1	3	..	19	26.7	2	
Tanjore	71	89	65.2	1	2	..	4	4	6	2	66	48.3	8	
Tellicherry	42	45	55.7	1	6	..	10	19.8	2	
Tenali	47	55	60.0	2	1	1	1	16	17.7	1	
Tiruohirappalli	177	121	35.6	..	3	8	14	1	101	29.7	12	
Tirunelveli	84	68	55.3	1	6	..	35	28.4	11	
Tiruppur	49	31	32.9	4	2	1	..	24	25.5	3	
Tiruvannamalai	40	31	40.3	1	..	11	14.3	3	
Tuticorin	91	84	48.0	3	..	11	..	34	19.4	15	
Vaniyambadi	40	38	49.4	2	2	..	10	13.0	6	
Vellore	86	125	75.6	2	1	4	13	2	56	33.9	14	
Vijayavada	113	95	43.7	5	3	6	..	43	19.8	11	
Virudhunagar	86	50	72.2	3	4	18	26.0	2	
Visakhapatnam	84	210	130.0	..	2	..	15	5	7	5	81	50.1	27	
Vizianagram	59	63	55.5	1	6	1	1	31	27.3	8	
	TOTAL	4,437	5,212	61.1	38	20	..	217	297	505	31	2,653	31.1	608

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague F.—Fevers, D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week end the 1st September, 1951—contd.

Town	Mid-1951 Popn.—Est. B. (000)	Deaths from :—											
		B. R.*	O.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D. R.†	I. D.	
Orissa													
Berhampur	63	50	41.4	6	4	2	21	17.4	4	
Outtaek	103	94	47.6	11	8	3	34	17.2	3	
Puri	49	42	44.7	9	1	..	16	17.0	2	
TOTAL	215	186	45.0	26	13	5	71	17.2	0	
Punjab (I)													
Ambala	58	70	62.9	6	1	2	16	14.4	6	
Amritsar	320	182	29.7	4	8	17	72	11.7	10	
Batala	51	15	15.3	2	..	2	8	8.2	5	
Bhawani	82	54	54.0	1	2	2.0	1	
Ferozepore	48	14	17.8	2	3	2	11	14.0	4	
Hissar	85	36	53.7	3	..	1	8	11.9	1	
Hooghlypur	46	12	13.6	9	..	1	11	12.5	4	
Jullundur	171	145	44.2	10	2	1	32	9.8	9	
Kaithal	35	29	43.2	4	1	..	6	8.0	2	
Karnal	60	50	43.4	7	10	8.7	1	
Ludhiana	150	154	53.5	24	2	..	36	12.5	11	
Moga†													
Panipat	56	48	44.7	6	1	1	10	9.3	4	
Rewari	14	34	52.1	6	1	..	11	16.0	2	
Rohtak	59	47	41.5	5	13	11.5	9	
Simla†													
Sonipat	31	29	48.7	5	5	8.4	..	
TOTAL	1,190	919	39.9	103	19	27	1	251	10.9	75
Uttar Pradesh													
Agra	360	431	62.3	1	18	81	175	25.3	61	
Ahmedabad	332	340	63.4	2	6	42	2	108	17.0	36
Amroha	67	45	34.8	4	5	4	28	21.7	11	
Bahraich	47	30	40.1	6	1	..	12	13.4	6	
Balrampur	52	27	26.9	11	12	12.0	2	
Benaras	313	481	80.1	113	48	92	1	351	58.3	113
Bareilly	246	189	41.1	..	3	..	28	8	8	1	75	16.3	21
Budaud	59	60	53.1	10	..	3	..	21	18.0	10
Dehra Dun	105	44	21.8	4	4	5	..	25	12.4	54
Etawah	59	85	74.5	1	17	6	1	1	53	46.5	31
Faizabad-Ajodhya	58	48	42.8	9	4	5	..	24	21.4	8
Farrukhabad-Fatehgarh	65	78	62.9	1	15	3	4	..	40	32.3	16
Ferozabad	57	59	54.1	17	12	5	1	..	43	39.4	5
Ghazipur	35	32	47.8	4	..	3	1	16	23.6	9
Gorakhpur	123	97	41.0	24	5	1	1	54	22.8	12
Hapur	48	61	55.9	9	3	2	..	19	20.8	8
Hardwar Union	72	43	31.2	15	5	1	..	38	27.5	3
Hathras	57	83	78.6	26	5	3	1	42	38.3	15
Jaunpur	52	30	29.0	8	1	8	1	25	24.9	..
Jhansi	91	143	81.5	30	4	3	..	59	33.6	20
Kanpur	701	411	30.6	2	111	31	44	3	325	24.2	108
Khurja	42	40	57.4	1	..	2	..	15	18.7	5
Koli Allgarh	146	116	41.5	10	7	87	1	41	14.7	10
Lucknow	498	427	44.7	40	15	32	1	186	19.5	69
Mathura	102	103	52.6	14	1	4	1	40	20.4	16
Meerut	168	120	41.3	6	10	11	..	37	11.9	12
Mirzapur-Vindhya Chal	82	139	88.8	32	3	7	..	81	51.4	35
Moradabad	189	150	41.4	9	5	8	..	53	14.6	23
Muzaffarnagar	66	50	39.2	12	..	3	..	21	16.5	7
Pilibhit	54	36	34.9	6	12	11.6	5
Rampur	105	16	8.0	7	1	2	..	21	10.4	4
Saharanpur	171	150	45.8	50	..	3	..	71	21.7	23
Sambhal	64	78	63.4	10	6	2	..	27	21.9	6

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers, D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rates, I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 1st September, 1951—contd.

Town	Mid-1951 Popn. Est. (000)	Deaths from—											
		B.	B.R.†	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Uttar Pradesh—contd.													
Bhabhanpur	136	114	44.1	16	5	3	2	80	15.1	16
Sitapur	88	82	44.2	3	7	9.7	3
TOTAL	4,848	4,390	47.2	21	3	..	683	215	385	17	3,196	23.6	72.8
<i>Return not received.</i>													
West Bengal													
Jammu and Kashmir		STATES—(Part B)											
Madhya Bharat		<i>Return not received.</i>											
Mysore State													
Bangalore City	788	611	30.3	—	9	22	56	..	160	10.6	..
Kolar Gold Fields	160	138	44.9	1	5	2	..	22	7.2	..
Mysore City	347	129	27.2	2	2	..	9	10	..	1	42	8.8	..
TOTAL	1,195	878	38.2	2	2	..	19	37	58	1	224	9.7	..
PEPSU													
Bhatinda	34	11	16.5	—	1	1.5	..
Mohindroda	33	37	58.3	1	1	1.6	..
Patiala	98	69	36.6	35	..	2	1	49	26.0	21
TOTAL	164	117	37.1	36	..	2	1	51	16.2	21
Rajasthan													
Alwar	68	7	6.3	2	2	11	9.9	..
Bikaner	117	124	55.1	2	8	..	21	9.3	2
Jaipur	295	57	10.0	27	10	6	1	98	17.8	24
Jodhpur †	64	30	24.6	10	12	9.7	..
Kotah
Udaipur †
TOTAL	634	218	21.2	99	14	14	1	142	13.8	26
Saurashtra													
Bhavnagar †	46	41	46.3	1	2	2	..	12	13.6	1
Dhoreji	89	49	28.6	18	3	1	..	29	16.9	13
Jamnagar
Jetpur	84	20	30.6	1	1.5	..
Junagadh	77	44	29.7	8	1	1	..	14	9.5	7
Morvi	56	17	15.8	4	1	1	..	6	5.6	4
Porbandar	64	58	47.1	16	19	15.4	11
Rajkot	74	158	111.0	36	6	2	..	44	30.6	..
TOTAL	440	387	45.7	78	13	7	..	125	14.8	36
Travancore-Cochin													
<i>Return not received.</i>													
ARREAR RETURNS													
<i>For w/e the 18th August, 1951</i>													
Bihar													
Arrah	87	17	15.4	7	1	..	1	10	9.1	..
Bettiah	33	37	60.7	3	4	6.4	..
Bhagalpur	103	11	5.6	1	1	7	8.5	..
Bihar	62	5	4.2	2	1.7	..
Chapra	83	32	26.4	1	1	13	10.7	3
Darbhanga	78	13	8.7	9	1	1	..	10	6.7	..
Dinapur-Nizamat	87	7	9.9	1	2	4	5.7	..
Gaya	123	32	13.5	1	4	..	18	11	16	..	92	38.9	..
Jamalpur	49	12	12.8	5	5.8	..
Jamshedpur	816	111	26.8	3	4	6	..	27	6.6	7
Monghyr	74	9	6.3	2	1	4	2.8	..
Muzaffarpur	66	3	2.4	11	23	15.2	..
Patna	192	9	2.4	1	3	..	2	..	3	..	12	3.2	..
Purulia	35	6	8.9	1	1	3	4.5	..
Ranchi	58	23	20.6	1	9	8.1	..
TOTAL	1,246	327	13.6	3	7	..	54	21	26	2	225	9.4	10

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 1st September, 1951—concl.

Town	Mid.-1951 Popn.-Est. (000)	Deaths from—												D. R. [*]	I.D.			
		B.	B.R. [*]	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total							
West Bengal																		
<i>for w/e</i>																		
South suburban . . . 9-6-51	88	16	9.5	2	2	..	1	1	10	5.9	4					
Kamarhati . . . "	55	13	12.9	...	1	..	3	..	1	—	16	15.1	..					
Bhatpara . . . "	150	23	7.6	1	4	1.4	..					
South suburban . . . 16-6-51	88	26	15.4	..	1	..	4	2	2	..	16	9.5	6					
Bhatpara . . . "	150	11	3.8	2	1	5	1.7	..					
Kamarhati . . . 23-6-51	55	12	11.3	3	5	12	11.3	..					
" . . . 30-6-51	"	15	14.2	..	2	..	3	..	1	1	14	13.2	..					
South suburban . . . "	88	16	8.9	3	1	..	2	2	1	..	12	7.1	3					
Naihati . . . "	54	4	3.0	6	2	2	..	14	13.6	3					
Bhatpara . . . "	150	12	4.2	1	1	2	10	3.5	..					
Kamarhati . . . 7-7-51	55	5	4.7	2	5	10	9.5	..					
South suburban . . . "	88	14	8.3	1	2	—	1	4	4	..	21	12.4	7					
Bhatpara . . . "	150	1	2	0.7	..					
Bankura . . . 14-7-51	62	10	8.4	—	..	—	1	1	4	3.4	..					
Champdasi . . . "	39	8	10.8	..	—	..	—	4	5.4	..					
Howrah . . . 21-7-51	539	174	16.8	13	3	..	9	27	38	..	162	15.7	51					
Bhatpara . . . 28-7-51	150	17	5.9	2	4	1.4	..					
Howrah . . . "	539	108	10.5	5	1	..	10	24	20	..	128	12.4	39					
Bhatpara . . . 4-8-51	150	21	7.3	8	6	2.1	..					
Punjab (I)																		
Ludhiana . . . 25-8-51	150	128	44.5	16	23	8.0	5					

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbol used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 1st September, 1951, relate to 168 towns with an estimated population of 20,387 thousands. The total number of towns is 236 and their population is 29,440 thousands. Thus 71% of the total number of towns representing 69% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 18,066 and 8,225 representing birth and death rates of 46.1 and 18.3 per thousand of population respectively.

The towns of Kalyan in Bombay, Nellore and Visakhapatnam in Madras, Banaras and Mirzapur-Vindhya in Uttar Pradesh recorded high death rates of 52.0, 50.1, 69.1, 58.3 and 51.4 per thousand of population respectively. The high death rate in Kalyan was not due to any of the specified causes; the high death rate in Nellore was largely due to cholera; the high death rates in Visakhapatnam, Banaras and Mirzapur-Vindhya were largely due to fevers.

(A) States (Parts A & C).—The data here relate to 151 towns with an estimated population of 18,054 thousands. Information about Assam, Bihar and West Bengal could not be included. The total number of towns is 202 and their population is 25,128 thousands. Thus 75% of the total number of towns representing 72% of the total population is covered. The numbers of births and deaths recorded in these towns were 16,466 and 7,683 representing birth and death rates of 47.4 and 22.1 per thousand of population respectively. The table at the end gives the position by States.

(B) States (Part B).—The data here relate to 17 towns with an estimated population of 2,333 thousands. The total number of towns is 34 and their population is 4,312 thousands. Thus 50% of the total number of towns representing 54% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,600 and 542 representing birth and death rates of 35.7 and 12.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 1-9-51		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	40.1	15.4	50.3	18.1	42.3	20.3
Bombay . . .	39.0	17.0	42.3	19.5	37.7	24.5
Delhi . . .	58.6	17.3	56.5	14.9	48.7	16.9
Madhya Pradesh . .	35.2	19.8	52.0	29.8	43.8	25.9
Madras . . .	61.1	31.1	49.0	25.8	49.7	28.2
Orissa . . .	45.0	17.2	47.1	33.6	41.7	28.7
Punjab (I) . . .	39.0	10.0	38.5	13.5	31.7	15.2
Uttar Pradesh . .	47.2	23.0	38.5	19.1	45.5	26.5
India (only States Parts A and C).	47.4	22.1	41.8	20.4	37.0	22.5

NEW DELHI, 2 (INDIA) :

The 24th September, 1951.

K. MITRA,

for Registrar General, India.

